



# **Operations Report**

April 1, 2017 – April 30, 2017

**Mark Gonzales**  
Deputy Chief of Operations

# OPERATIONS REPORT

April 1, 2017 – April 30, 2017

## GREATER ALARMS:

There were three greater alarm fires during this reporting period at the following locations:

**2<sup>nd</sup> Alarm** – (4/3/17) 1708 hours, 1810 Page Street came in for a reported building on fire. Units arrived on scene to "nothing showing" scaffolding and workers on scene. Workers had dropped some "burning material" between the buildings and attempted to put it out prior to Fire Department arrival. Units on scene looked for the fire for about a half hour before forcing entry into a locked flat at 1810 Page. Companies had already searched the unit above, the tradesmen's area below and the exposure building on Cole Street. As soon as entry was made the introduction of fresh air caused rear of the building to fully ignite necessitating a 2nd alarm to protect exposures. Companies on scene did a very good job, CD 1 J. Hayes - White came by the fire ground during the fire. The fire was determined to be accidental, caused by roofers working on the structure.

**3<sup>rd</sup> Alarm** – (4/7/17) 0143 hours, 451A – 23<sup>rd</sup> Avenue came in for a reported fire in the building. First unit on scene, E14 gave an excellent on scene report, describing the heavy smoke and their actions to lead a ready line into the fire. E34 supplied them from a low pressure hydrant and backed them up with a large line. E31 went into the Bravo exposure with the other ready line. T14 laddered the Delta exposure and took a line to the roof to check the fire's spread. Due to the volume of fire a 2nd alarm was quickly struck followed by a 3rd alarm as three building were involved in fire. First alarm units did a great job with radio communication and firefighting tactics. 2 adults and one cats were rescued by the SFFD. A total (Including the 2 rescued) of 3 adults were injured (Non-Life threatening) and 30 were displaced. 1 FF suffered a laceration to the hand and was released in good condition. 20 occupants were displaced. The fire was determined to be accidental, due to unattended candles.

**2<sup>nd</sup> Alarm** – (4/11/17) 2031 hours, 663 Clay Street came in for a reported fire in the basement of Alfred's Steakhouse. The first units on scene found moderate smoke conditions and started to enter the basement. Later arriving units discovered heavy smoke conditions on Clay Street coming from the basement of a residential hotel. A 2nd alarm was struck due to the below grade fire, and engine water supply issues due to the two entry points. The units that made entry from both entrances eventually met up inside the building as the basement could be accessed from either street. The fire was caused by an electrical short in the employee locker room area of Alfred's Steakhouse. 60 Adults from the residential hotel needed temporary shelter from the Red Cross due to high CO levels in the hotel. 662 Clay Street was on scene within minutes and helped escort over 60 displaced residents to safety, with NO injuries. SFFD worked with Red Cross, the Housing Service Agency (HSA), and the Mayor's office to provide shelter and housing for the displaced. A Muni bus was called during the incident to be used for shelter from the rain, and warmth. The SFFD PIO worked to ensure everyone was informed with the assistance of translators from the SFPD. By 0200 hours, all residents were allowed back into the building. The fire remains under investigation at this time.

### **Community Outreach:**

- Multiple Public Safety announcements have been made throughout the month covering items from Surf Safety to how to use a Fire Extinguisher. For more real-time announcements, we encourage you to monitor our Twitter account at: @sffdpio
- Engine companies continue to pass out fire prevention and education material while on calls, or out in public. This material is now available on our website to download at [www.sf-fire.org](http://www.sf-fire.org)
- Coastal Rescue companies continue to give Surf Hazard education to the community while on calls, or while out in public (targeted to Ocean Beach Area)
- Cliff Rescue units provide cliff rescue and animal safety community outreach in areas such as Fort Funston
- Sign up for emergency notifications by texting "ALERTSF" to this number: 888777
- Public messaging on how to get rid of household hazardous waste given on social media: [www.Sfenvironment.org](http://www.Sfenvironment.org) has a program to reduce hazardous material that can make our job more dangerous during a fire.
- 04-06-2017 Over 20 OFF-DUTY SFFD members volunteered at the Galileo high School's Health Academy Skills Final. Our members working with our children to keep them educated, involved, and prepared for college and the workforce.

### **Incidents of Note:**

- 04-01-2017 RESCUE FS 18 rescued 3 young adults from Lake Merced at 2 am. The 3 became stuck and trapped after venturing too far in the dark. Only one of the three required medical care for minor injuries. All 3-required rope rescue to bring them to safety.
- 04-03-2017 Vehicle into parked cars resulting in fire at 500 John Muir Drive. The elderly victim survived with minor injuries.
- 04-06-2017 1<sup>st</sup> Alarm WF 119 Randall Street SFFD Rescued 2 Adult and 7 cats from the 3<sup>rd</sup> floor. The adults suffered NON-Life threatening injuries. The victims were very concerned about the cats. SFFD worked professionally to locate the cats, and reunite them with the fire victims, who were all smiles despite the smoke inhalation they suffered.
- 04-07-2017 0915 Hrs. Potable water disruption occurred on Treasure Island. The Department checked all Hydrants to ensure they were working which they were. Nevertheless, we sent additional engines to the island until the water potable water system could be restored. No incidents occurred.
- 04-10-2017 0200 hours 1<sup>st</sup> Alarm WF 2736 Golden Gate 1 adult assisted with evacuation and displaced without injury.
- 04-10-2017 0140 hours 1<sup>st</sup> alarm fire 2 adults assisted with evacuation both displaced without injuries 520 South Van Ness Ave.
- 04-10-2017 BAY RESCUE Kit Surfer rescued with no injuries.
- 04-16-2017 RESCUE An alert SFPD officer heard a man yelling from help near Pier 30, from the sewer drain! The man had been "exploring the sewer systems all night and became lost. He was rescued and released to the SFPD
- 04-16-2017 CLIFF RESCUE baker beach canine and human rescued off cliffs with no injury.
- 04-18-2017 1<sup>st</sup> ALARM WF 1251 3<sup>rd</sup> Ave 1 adult assisted evacuation by the SFFD with NON-Life Threatening injuries.

- 04-21-2017 POWER OUTAGE Please refer to BOS info and power point.
- 04-21-2017 A man was rescued as he clung to life on the side of the cliffs near China Beach. The use of CHP Helicopter H30 was required to the position the victim was located at. He was flown to the VA Hospital parking lot where SFFD medics evaluated him. He refused medical care and was released to the custody of the U.S. Park Police.
- 04-22-2017 1<sup>st</sup> ALARM WF 456 Cambridge resulting in one Fire Fighter being evaluated after he was subjected to heat from a possible flash over as he was working outside near a window near the fire. Luckily his training and safety equipment kept him safe. This was a vacant building.
- 04-25-2017 1<sup>st</sup> ALARM WF 804 Stockton Street an elderly female was physically assisted in her evacuation in unit 19 by the SFFD. It was necessary to help carry her to safety due to her handicap. She was evaluated and is okay. Only one person was displaced from this fire. The entire building was evacuated precautionary and the tenants all let back in after the fire.
- 04-25-2017 1<sup>st</sup> ALARM WF 696 Amador Street (Abandoned construction style yard) This was a fire in a silo, with reported booby traps set by homeless for looters. The fire was contained with no injuries.
- 04-27-2017 BAY RESCUE SFFD and SFPD Rescued a distressed kayaker near the Ball Park. No injuries.

### **Prevention and Education:**

- 04-04-2017 Chief Joanne Hayes-White, ADC/ Francisco, and members of the Department participated and spoke at the 2017 Epicenter Summit to place the importance of being prepared during a Disaster, specifically an Earthquake.
- 04-05-2017 Siragusa spoke at the 2017 Epicenter Summit about “How to respond and recover as a region to multiple members of our disaster response and recovery community.
- 04-07-2017 Engine 26 Hosted several Preschoolers showing them the Fire Engine and promoting Fire Safety to our youth.
- 04-11-2017 SFFD EMS spoke to a group about reducing negative health outcomes through the SFFD EMS 6 program.
- 04-14-2017 Our Fire Education teams spent the day with Red Cross teaching about smoke detectors, and fire extinguishers at multiple locations in the City. Smoke detectors and extinguishers were also given out donated and provided by the Red Cross.
- 04-15-2017 SFFD members helped teach fire safety and first aid, including hands only CPR at the China Town Spring Preparedness fair.
- 04-17-2017 SFFD meet with the SFUSD and SFPD to come up with ideas on how to bring a public safety education program to our High School. More information about these efforts will be forthcoming.
- 04-18-2017 Department members including Chief Joanne Hayes-White participated in the many events remembering the 111<sup>th</sup> anniversary of the “Great 1906 earthquake”.
- 04-18-2017 SFFD Recruitment spent the day at the CCSF employment fair recruiting many hopeful future members.
- 04-19-2017 the third battalion Safety Fair was held at Fire Station 51. Over 300 people came by from 0900-1300 hours and learned about fire safety, how to use a fire extinguisher, hands only CPR, and lots more. To see a list of upcoming safety fairs, visit our web site at: [www.sf-fire.org](http://www.sf-fire.org)

- 04-22-2017 The Annual NERT drill was a success at the Marina Middle School this year. The FEMA Acting Director, Bob Fenton, flew in from D.C to view this drill, and from what we were told, was impressed.
- 04-25-2017 FS 13 provided an amazing visit for many children and provided Fire Prevention and Education material and demonstrations.
- 04-26-2017 SFFD recruitment spent the morning at John O'Connell High Schools Career day recruiting future members.
- 04-26-2017 SFFD Recruitment and the SFFD Veterans employee group spent the day recruiting members of our armed forces at the "Hire a Hero Event".

**The following was provided by the Departments Community Education Team:**

- 04-09-2017 3635 Lawton St., Sunset Church Fire Safety in the Home Presentation/Bullseye Digital Fire Extinguishing Training System
  - 35 People
- 04-11-2017 225 Bush St. Suite 1810, Building Owners and Managers Association of S.F.
  - How to conduct a Floor Warden Training Fire Inspector standing by as a consultant
  - 28 People
- 04-13-2017 Pier 28 - The Embarcadero, Rebuilding Together San Francisco
  - Home Fire Safety Presentation/Bullseye Digital Fire Extinguishing Training System
  - 14 People
- 04-15-2017 830 Sacramento St. Spring Preparedness Fair Staffed a Table handed out Fire Safety information in Cantonese and English and used the Bullseye Digital Fire Extinguishing Training System
  - 400 People
- 04-19-2017 218 Lincoln in the Presidio, SFFD Fire Station 51
  - Community Safety Fair, Staff a Table, Fire Extinguisher Training/Bullseye Digital Fire Extinguishing Training System
  - 40 people
- 04-25-2017 2919 Mission St. Instituto Familiar de la Raza
  - Fire Safety in the Home and on the Job presentation/Bullseye Digital Fire Extinguishing Training System
  - 80 People
- 04-26-2017 425-427 Brannan, Capgemini/North America/San Francisco
  - Fire Safety in the Home and on the Job, Earthquake Preparedness/Awareness/Bullseye Digital Fire Extinguishing Training System
  - 12 People

**Inter-Department Activities**

- The Department worked with Fire Chief and Fire Rescue Magazine to highlight the 30 years of Women Firefighters in the Department. This great article can be read at: <https://www.firechief.com/2017/04/04/san-franciscos-30-years-of-women-in-the-fire-service-the-stories-struggles-and-triumphs>

- 04-12-2017 was the EMS week appreciation day and BBQ at the dispatch Center. Members of the Administrative staff, Including chief Joanne Hayes-White, visited our dispatchers and congratulated them for all the hard work they do every day and night.
- 04-14-2017 49 entry level Firefighters, 9 from station 49, graduated our academy and are now working in the field to enhance our abilities to serve our communities.
- This month members recertified in Surf Rescue Swimmer and Wild Land Fire Fighting.

### **The following are some responses we got on social media:**

- Medic 89, handing out insulating blankets on McCoppin. THANK YOU! We are all one community. Posted by Jeff Scattini on twitter (this was a cold day).
- In regards to the 119 Randall Fire, Jenny Shao Tweeted: “What a perfect tweet to end the night, thank you for saving us!
- In regards to the 3rd alarm fire on 23rd Ave, Divaesq tweeted: “Brave Firefighters THANK YOU”
- Mary French posted on Twitter: “While we slept you did your job!! Thank you for your service and great job for the Cities residents.”
- Good job SFFD saving the women at the 2<sup>nd</sup> alarm fire! By Laura
- Thank you @SFFDPIO for all your help during a car Collison in NOE Valley today by @Noevalleysf

### **EMERGENCY MEDICAL SERVICES:**

- April 27<sup>th</sup> – at 5th and Mission Streets – Two SFPD squad cars collided. Three officers transported Code 3 to SFGH with minor injuries. M71, M75 and RC3

### **EMS Updates:**

#### General Activities

- Attended ADC Meetings (April 5 & May 3)
- Attended Fire Commission meetings
- 121<sup>st</sup> Firefighter Academy graduation at Riordan High School (April 14)
- Marched in Cherry Blossom Parade (April 16)
- Attended Lotta’s Fountain/Golden Hydrant (April 18)
- Participated in 9-1-1 Heroes Awards Ceremony at James Denman Middle School (April 19)
- Continue weekly RC and staff meetings at Station 49

#### Ambulance Deployment Facility

- Toured ADF designers through Station 9 and Station 49 (April 6)

- Several modifications were made to the drawings, based on visual cues
- Designs continue to develop

#### CQI Officer Interviews/Selection

- Interviews were conducted at Station 49 on Thursday, April 20<sup>th</sup>
- Four qualified candidates were interviewed by EMS Officers and the EMS Medical Director
- H-3-Level II Ada Wong was selected
- A/Paramedic Captain Wong will be trained by ADC Zanoff and A/Paramedic Captain Bonn
  - Both of whom have held the position of Clinical Quality Improvement Officer

#### Inter-Facility Transfers

- Coordinating with EMSA, EMSAC, DEM, and 9-1-1 Provider Group on IFT issue
  - Hospitals are calling 9-1-1, expecting rapid response to their facility when a private company is delayed
    - SFFD personnel are not trained in Critical Care Transport, nor are our vehicles equipped for IFTs
    - The EMS Division and the 9-1-1 Provider Group are developing guidelines to augment the county policy on IFTs

#### H-23 EMS Lieutenant

- Developed and submitted General Order (draft) for H-23 Lieutenant position
  - Attended Union Negotiations with CD2 on the H-23 subject

#### Defibrillator Program review

- We are considering different vendors and manufacturers of monitor/defibrillators
  - We are developing a criteria list for possible bid
    - In June or July of this year

#### New County Protocol for EMTS

- New county protocols allow for nasal Narcan and EpiPen to be administered by EMTs (BLS personnel)
  - Division of Training is developing educational program for all EMTs
- Will equip all BLS companies (Engines, all Trucks, both Squads, the Fireboat) and deploy as soon as training is complete
  - Narcan reverses the effects of an opiate overdose and will be introduced via mucosal atomizer
  - EpiPen works to open the breathing passages of a patient suffering from an allergic reaction
- Having these medications will enable our BLS companies to provide higher level of care to patients prior to the arrival of an ALS resource

### Sixty Second Drill

- Developing a program for rapid In-Service Training/Skills review
  - One Minute drills may include intubation of a mannequin head, or performance of a DSED sequence, or a Dopamine calculation, or identification of an EKG rhythm
  - Will provide refresher for crews and will demonstrate opportunities for improvement. Information will be conveyed to Treasure Island, and training curriculums will be developed that will meet the needs of our paramedics and EMTs in real time
- Drills will be conducted at Station 49

### Automatic CPR Devices

- We are researching mechanical CPR devices. If selected and purchased, we are looking to put a device on each of the four RC vehicles
  - RCs are dispatched to every cardiac arrest under current procedures
- We are looking at different devices
  - With new protocols calling for forty (40) minutes of CPR on every cardiac arrest, high-quality compressions are difficult to maintain for that amount of time
  - A mechanical device will free-up personnel, and will provide consistent CPR throughout the resuscitation efforts
- We are downloading the data from the memory cards of defibrillators that were used on cardiac arrests
  - We will analyze that data to determine the quality of manual compressions
  - We are looking towards implementing system improvements as dictated by the results of our analysis

### Disposable/non-mechanical Intraosseous Device

- We are looking at a new IO device
  - Current device is a drill handle, which is sealed, and contains batteries that cannot be replaced. Needles are connected to the drill, and the procedure is conducted. There are several needle sizes. The drill is not disposable, it must be cleaned after each use. Nor can the device be repaired
  - There is no mechanism on the drill to warn the user of low battery, mechanical problems, or internal failures
  - The inability to perform is discovered only when the device is deployed during a call, and it fails
  - A new device is on the market, which is a single unit, not powered, and comes in only two sizes (adult and pediatric)
    - This new device is a one-time-use/disposable mechanism, thus avoiding cross-contamination and time-consuming cleanup
    - The new device is also more cost effective than purchasing the drill handles and multiple needles.
- Our plan is to put these new devices on the ALS Engine fleet, then replace the mechanical drills as they come due (fail) on the ambulances – a gradual deployment



**Significant Medical Incidents**

April 7, 2017

3<sup>rd</sup> Alarm, 453 23<sup>rd</sup> Ave

MGS – RC2 Kuzma

Four patients total: 1 declined transport, 1 Code 2 to Saint Francis, 1 Code 3 to California Pacific Medical Center. The fourth was a firefighter who suffered a cut hand, transported and treated at Davies Medical Center

April 10, 2017

1454 Funston Av

1 month old cardiac arrest. Transported Code 3 to CPMC-Cherry Campus. Medic 89 and RC2, Engine 14 and Engine 22. Stress Unit responded for our members.

April 14, 2017

65 Scott St

2 year old male in cardiac arrest. Medic 56, RC3, and Engine 6. Transported Code 3 to CPMC-Cherry Campus. Stress Unit responded for our members.

April 18, 2017

6<sup>th</sup> and Jessie

Engine 1 On-Viewed a stabbing. Medic 72 transported Code 3 to SFGH. Patient suffered knife wounds to face and neck. None of our members were involved or injured.

April 27, 2017

15<sup>th</sup> St/Mission

Two SFPD squad cars collided. RC3, Medic 71, Medic 75. Three officers transported Code 3 to SFGH with minor injuries

**Donation to Los Bomberos**

Chief of Department approved the donation of a large amount of medical supplies to Los Bomberos for delivery to their South America projects. These items were shipped by mistake, or fell out of protocol. The vendor gave us a credit for the supplies, but did not want to go to the expense of recovering the merchandise. We can't use the supplies, but they are intact, useable, and sterile

Qty.	Item:	Reason we are unable to use:
300	25G. TB Syringes	No longer give Subcutaneous injections. Needle too short for IM
500	1cc TB Syringes	Syringes are SlipTip and must be Luer-Lok.
20	20G Via-valve IV catheters	Not a catheter we currently use.
60	2.2 qt. sharps containers	Too large for our use
36	36Fr. NPA's	Not currently on LEMSA policy 4001 Equipment List
36	18Fr. Suction Tip	Not currently on LEMSA policy 4001 Equipment List
57	CO2 Sampling cannula-Adult	Does not have necessary O2 delivery tubing
19	Infant Simple O2 mask	Does not have necessary O2 delivery tubing
51	ETTs 6.0-8.0	Missing stylette
50	Re-usable B/P cuffs	Single lumen. Zoll X-series requires double lumen
41	C.A.T tourniquets	Expired
25	Activated Charcol 25 Grams	Wrong dose
200	2" inch light cloth tape	Does not work well for C-spine immobilization
200	2" inch light cloth tape	Does not work well for C-spine immobilization

Los Bomberos took possession of the above items on April 20, 2017

Pediatric Restraint System

- We purchased and took delivery of new Pediatric Vehicle Restraint Systems
  - Made by the FERNO company (the same company that makes our gurneys)
  - Devices designed to fit the gurneys
- Allows a child or infant to be buckled onto the gurney in a six-point restraint system
  - Just like a car seat
  - Prevents the need for Mom or Dad to sit on the gurney and hold child on lap
- Better safety for patient and parents (parent or caregiver can sit in a proper seatbelt while vehicle is in motion)

Equipment Return

- Contacted Kaiser Vacaville and arranged for return of two (2) SFFD backboards (established relationship with Kaiser Vacaville EMS Coordinator in the process)

Statistics

- 90<sup>th</sup> Percentile BLS Response: 4.93 min.
- 90<sup>th</sup> Percentile ALS Response: 5.58 min.
- 90<sup>th</sup> Percentile Ambulance Response: 8.51 min.
- # of Transports: 7,177
- # of Transports vs # Total Medical Calls:  $7,177 / 9,968 = 72\%$

**Division of Fire Prevention and Investigation**  
**Division Update April 2017**  
**Fire Marshal de Cossio**

**BFP Head Quarters Update**

**Permit Application for April 2017:**

Total Permits Applications for April	412
Number of Operational Permits	61
Number of Temporary Permits	353
Permit Application Fees Collected OTC (April)	\$77,870

**Types of Operational Permits Issued (April 2017):**

<b>Description</b>	<b>Number</b>
Lumber Storage	1
Major Vehicle Repair Garage	1
Compress Gas, Storage, Use, & Handling	2

Dry Cleaning Plant	1
Flammable/Combustible Liquids, Portable Container	4
Firefighter Rescue Air	1
Liquefied Petroleum Gas, Portable Cylinders	8
Liquefied Petroleum Gas, Mobile Caterer	5
Liquefied Petroleum Gas, Roofers	1
Open Flame, Barbeque	3
Cryogenic Liquid, Storage, Use	1
Place of Assembly Operation	9
Hotwork Operations, Weld, Cut, Grind, Braze, Solder	6
Hotwork Operations, Jewelers	3
Hotwork Operations, Roofers	1
High-Piled Storage	3
Aboveground Stationary Tank, Storage & Use	9
Refrigeration Equipment Operation	2

**Inspections Completed in April 2017:**

<b>Types of Inspection</b>	<b>Number</b>	<b>Hours</b>
NOV	139	93.8
Complaints	331	256.5
Referrals (DPH, SFPD, DPW)	104	66.3
Referrals (EC)	3	0.6
DBI	631	494.3
Traccess	4	3
Permit Annual	287	194.9
Permit Approvals	89	69.5
Permit Follow-Up	0	0
Event Plan Review	17	15.8
Place of Assembly Detail	45	30.9
High Rise Annuals	24	64.7
High Rise Follow-Up	4	0.8
FEP Review & High Rise Report Writing	40	48.5
School Annuals	15	15.9
RCF, Mental Health, DSS	3	1.6
OSHPOD Referral	10	1.7
Hearing Re-Inspection	54	36.3
Sprinkler Ordinance	41	6.8
R2	8	6.9
Others (Initial Inspection, Onsite Consultation, Technical Construction Inspection, Fire Clearance Request, Follow-Up Inspection, No Time Charged, Etc.)	48	51
<b>Total</b>	<b>1897</b>	<b>1459.8</b>

**Permit Annual Inspections:**

<b>Total Annual Permit Inspections</b>	<b>3534</b>
Completed	2774
Open	143
Pending	485
Mobile/Citywide Pending (No Fixed Address)	132
<b>% Completed</b>	<b>85.7</b>
<b>% Target Completion</b>	<b>83.3</b>

**Number of Complaints Received for April 2017: 401**

**Types of Complaints Received (April 2017):**

<b>Description of Complaint</b>	<b>Number</b>
Blocked Exits	32
Fire Alarm Systems	84
Sprinkler/Standpipe Systems	43
UL Certificate Verification	5
Combustible Materials	9
Extinguishers	33
Electrical Systems	7
Elevator Not Working	1
Fire Escape	7
Exit Maintenance	12
Street Numbering	4
Hoarding	4
Illegal Occupancy	4
Roof Access	1
Operating Without A Permit	6
Overcrowding Place of Assembly	1
Refused Hood & Duct Service	1
General Hazardous Materials	3
Uncategorized	22
Multiple Fire Code Violations (Highrise)	122
<b>Total</b>	<b>401</b>

**Community Outreach:**

The BFP conducts two Fire Safety Workshops per day (at HQ) for R2 building owners in San Francisco. The workshop focuses on *Fire Safety Information Disclosure Requirements*.

**Community Outreach Presentations/Education for the month of April 2017**

- April 09, 2017  
3635 Lawton St., Sunset Church

Fire Safety in the Home Presentation/Bullseye Digital Fire Extinguishing Training System  
(35 People in attendance)

- April 11, 2017  
225 Bush St. Suite 1810, Building Owners and Managers Association of S.F.  
How to conduct Floor Warden Training (28 People in attendance)
- April 13, 2017  
Pier 28 - The Embarcadero, Rebuilding Together San Francisco  
Home Fire Safety Presentation/Bullseye Digital Fire Extinguishing Training System  
(14 People in attendance)
- April 15, 2017  
830 Sacramento St. Spring Preparedness Fair  
Staffed a Table handed out Fire Safety information in Cantonese and English and used the Bullseye Digital Fire Extinguishing Training System  
(400 People in attendance)
- April 19, 2017  
218 Lincoln in the Presidio, SFFD Fire Station 51  
Community Safety Fair, Staff a Table, Fire Extinguisher Training/Bullseye Digital Fire Extinguishing Training System  
(40 people in attendance)
- April 25, 2017  
2919 Mission St. Instituto Familiar de la Raza  
Fire Safety in the Home and on the Job presentation/Bullseye Digital Fire Extinguishing Training System  
(80 People in attendance)
- April 26, 2017  
425-427 Brannan, Capgemini/North America/San Francisco  
Fire Safety in the Home and on the Job, Earthquake Preparedness/Awareness/Bullseye Digital Fire Extinguishing Training System  
(12 People in attendance)

#### High-Rise and Code Enforcement Sections

##### High-Rise

High-rise Inspectors Activity
• Total of high-rise annual building inspections conducted in April (48) to date: <b>488</b>
• (Open/pending paperwork) for April: (7)
• High-Rise inspections remaining for fiscal year: (123)
• Annual Permits inspections completed in April (52)
BILLABLE VIOLATION RE-INSPECTIONS COMPLETED <i>HIGH-RISE ONLY</i> IN February (50)

## **Accelerated Code Enforcement in April**

### **\* Administrative Hearings:**

\* Code Enforcement has held (11) hearings: 2016: September 27th, October 18th, November 1, December 6th, 2017: January 10, January 31, February 21st, March 7, March 21, April 6, and April 20 for violations issued at (92) properties. The majority have been resolved either with Rescissions or Orders to Abate.

\* The next Administrative Hearing is scheduled for Thursday, May 4, 2017. There are (11) properties on the agenda and (7) continued from previous hearings. Of the continued cases, (4) have abated their Fire Code violations.

## **Plan Check Section Update**

- Approximately (980) permit applications were approved by FIRE.
- The above reviews generated Fire Plan Review fees of \$729,703.86 and Fire Inspection fees of \$159,605.00. (Intake “filing” fees collected: \$73,325.22).
- Monthly pre-apps: (33 total) held with Building and Planning Departments; and including “Fire Only” pre-apps.
- 409 permit applications are in our report for FIRE, however, (281) have already been reviewed and are on-hold awaiting responses from the applicants. This leaves (128) permit applications “in the bin” waiting to be reviewed.
- **TJPA Transit Terminal:** Fire Alarm plans have been reviewed and awaiting a response. Generator plans are here as well.
- **The Warriors Arena.** The “site” plans are approved.
- **Park Merced and Candlestick** projects are under continuous review.
- **Moscone.** Project is progressing from Phase II into Phase III. There are some Smoke Control details that are under review.
- **Central Subway:** The Tunnel “Standpipe” submittals are under review. (1.7 miles of pipe).
- The START date remains approximately (4) weeks as the average time between plans being assigned to FIRE and the review started.
- The START date continues to vary from (1) week to (2) months dependent on the plan reviewer and the complexity of the projects being reviewed.
- In April 2017, we collected \$12,840.00 in Water Flow revenue.
- In April 2017, we collected \$3,120.00 in SFFD Access reviews.

## **TASC (Transportation Advisory Staff Committee) Update**

MONTHLY SECTION UPDATES: April 2017

TASC – Vision Zero Projects

- SFFD received 8 requests from DPW for SFFD review and comment on developer/contractor project requests that include street/sidewalk modifications, tentative map approvals, street vacations/encroachments, sidewalk streetscape modifications; SFFD reviewing for impacts to SFFD vehicle, building, fire protection access
- Update: Howard St and Folsom St safety project: **no further information to date** (SFMTA proposal to install protected bicycle lanes from 11<sup>th</sup> St to 4<sup>th</sup> St on Howard and on Folsom Sts; plans have not been submitted to SFFD for review; SFMTA requested information/details from SFFD Operations on aerial ladder operations/fire access to buildings along the proposed route for design purposes)
- Update: Upper Market St. Safety Project Octavia-Castro (includes Laguna St./Hermann St.): **SFFD-SFMTA meeting scheduled for May 01 to discuss compromised fire department emergency vehicle and building access and fire operations; project scheduled to be heard at SFMTA Director public meeting May 02** (portions of the project were not objected to by SFFD at TASC; No resolution to date following third site visit for project held March 20 with SFMTA, SFFD, Sup. Sheehy, Local 798 on Market St. to demonstrate aerial operations). SFMTA still needs to provide a re-designed proposal to accommodate SFFD vehicle and building access needs on Market St., Laguna/Hermann St; Fire Station 06 access(SFMTA safety improvement project includes a parking-protected bicycle lane and creation of angled parking on side streets)
- Update: Eagle Plaza on 12<sup>th</sup> St. between Bernice St./Harrison St.: **streetscape plans to be revised for aerial operation access and re-submitted for review**; (revised conceptual Plaza plans previewed/discussed at March 30 meeting with developer, SFMTA, Planning; aerial operation/building access issues to be resolved ( may include permanent closure of street to through traffic)
- Update: TJPA Transit Center: **SFFD requires minimum 20 foot clear width for vehicle access/operations on Minna/Natoma; project team proposes minimum 20 ft clear but also proposed vehicle stopping, commercial parking reduces clear width to less than 13 feet; will ask for exception** (meeting held March 22 with TJPA, DPW, SFMTA, Planning, Mayor's Office on Disability regarding proposed reduced clear street widths/SFFD vehicle and building access issues; includes proposal to allow 24/7 vehicle passenger white/blue/yellow loading zones on proposed narrowed Natoma/Minna Streets may affect SFFD Operations; under review by SFFD
- Update: 5<sup>th</sup> and Kirkham: **another SFFD - project team meeting to be held regarding developer responses to SFFD Operations/Prevention requests** to provide additional vehicle/building access/conditions on building construction concerning draft Master Infrastructure Plan/fire water supply issues; **developer requested exceptions to maximum street slopes, access to buildings; Support Services accepted request**

Community Developments

Total developments in process; SFFD comments issued (On hold – awaiting response)

1. India basin, Preliminary Master Plan
2. 150 Guttenberg. New street with 9 new residential buildings
3. Transbay Project. Fire department access, street width
4. CP 01,02 03. Off-Site. Gilman
5. Cambridge estates.
6. Tentative map No. 9228. Yerba Buena Island
7. Potrero Hope, Phase 1, 65 % and 90 % Infrastructure
8. Park Merced, Phase 1A and 1B, 65% and 90 % Infrastructure
9. Candlestick Point. CP 01,02 03. 100 % Infrastructure

10. Treasure Island, Sub-phase 1B-1C-1E, 100 % Infrastructure
11. 1629 market Street. 584 Units. 5 low rise buildings.
12. Potrero Hope. High and Low Pressure Water Master Plan
13. Potrero Hope. SFFD exceptions for street grade
14. Sunnydale Hope. High and Low Pressure Water Master Plan
15. Park Merced. Phase 1A, 1B. 100 % Street Improvement Plans
16. Park Merced. Low Pressure Water Master Plan
17. Visitacion Valley, 100 % Street Improvement Plans. Zone 1
18. Potrero Hope. Master Infrastructure Plan
19. Transbay Center. Retractable bollards
20. Candlestick Point, CP 01,02,03. AWSS System
21. Candlestick Point, CP 02. Deferred material Submittal

TASC Hearings:

**Monthly Summary:** April 01, 2017 – April 30, 2017

TYPE OF MODIFICATION	SFFD: NO OBJECTION	SFFD: OBJECTION	OBJECTION but RESOLVED	HOLD
Corner/Mid Bulb (01)	1	-	-	-
Bicycle Path, Lane, Share (01)	1	-	-	-
Angled Parking (03)	3	-	-	-
Sidewalk Widening (07)	7	-	-	-
Speed Hump (02)	2	-	-	-
<b>TOTAL</b>	<b>(14)</b>	<b>(0)</b>	<b>(0)</b>	<b>(0)</b>

**Bureau of Fire Investigation Update**

The number of *Open/Active Fire Investigation Reports* through the month of April 2017 is **121**. The reports include the following types of fires:

- 55 Structure Fires
- 38 Vehicle Fires
- 28 Outside Fires
- 0 Portable Toilet Fires

**STATS:** During the month of April BFI responded to 26 incidents. They were as follows: 13 structure fires, 2 special outside/trash fires, and 11 vehicle fires. Though BFI did not respond there were an additional 7 consults with chiefs and officers at active scenes regarding origin and cause.

There were 2 arrests.

**INVESTIGATIONS:**



There was a second alarm fire on Monday April 3<sup>rd</sup> at 1810 Page St. The fire cause was determined to be accidental, caused by roofers working on the structure.

There was a third alarm fire on Friday April 7<sup>th</sup> at 451A – 23<sup>rd</sup> Avenue. The fire was determined to be accidental due to unattended candles.

There was a second alarm on Tuesday, April 11<sup>th</sup> at 662 Clay St. The fire remains under investigation at this time.

**COMPLETED INVESTIGATIONS FOR GREATER ALARMS FROM 1/2017  
THROUGH 3/2017**

**2<sup>ND</sup> Alarm** – (1/5/17) – 662 Clarendon which resulted in one civilian fatality. The fire was determined to be accidental, caused by smoking in bed.

**2<sup>ND</sup> Alarm** – (1/13/17) – 3528 Fulton Street. The fire was determined to be incendiary with a subsequent arrest.

**2<sup>ND</sup> Alarm** – (1/2/17) – 1408 Cabrillo Street. The fire was determined to be accidental.

**2<sup>ND</sup> Alarm** – (2/3/17) – 1199 Stockton Street. The fire was determined to be accidental, most probable, an unspecified electrical fault.

**San Francisco International Airport**

Attached to this report is the Division Activity & Response Summary for the San Francisco International Airport Fire Division for the month of March 2017.

**San Francisco Fire Department Monthly Response to Medical Calls Through 04/30/2017**

**First Unit On Scene [6]**

	Non Emergency Response (Priority 2)					Emergency Response (Priority 3)					
	Source Data		Validated Responses			Source Data		Validated Responses			% OTP
	Count	90th %	Count	Average	90th %	Count	90th %	Count	Average	90th %	
2016/05	4,512	17.52	4,410	9.46	17.69	4,320	5.89	3,912	3.82	5.53	77.45
2016/06	4,545	17.18	4,438	9.31	17.45	4,392	5.77	4,006	3.76	5.40	77.96
2016/07	4,396	16.63	4,273	9.23	16.88	4,280	5.67	3,903	3.63	5.25	79.66
2016/08	4,583	17.11	4,469	9.25	17.37	4,264	5.65	3,896	3.67	5.25	80.01
2016/09	4,787	18.28	4,679	9.79	18.54	4,517	5.82	4,099	3.71	5.47	77.17
2016/10	4,820	17.75	4,683	9.68	17.87	4,644	5.82	4,241	3.79	5.53	76.73
2016/11	4,665	18.01	4,550	9.74	18.30	4,351	5.87	3,916	3.77	5.60	76.10
2016/12	5,066	18.52	4,966	9.92	18.78	4,856	6.15	4,419	3.91	5.78	74.27
2017/01	5,049	18.05	4,895	9.24	17.69	4,882	5.80	4,420	3.49	5.89	74.82
2017/02	4,454	16.85	4,364	8.68	16.13	4,423	5.83	4,004	3.22	5.17	82.19
2017/03	5,151	16.70	5,024	8.51	15.92	4,981	5.65	4,549	3.07	4.95	85.12
2017/04	4,898	16.33	4,795	8.28	15.53	4,660	5.65	4,226	3.03	4.93	84.86

**First ALS Unit On Scene [7]**

	Non Emergency Response (Priority 2)					Emergency Response (Priority 3)					
	Source Data		Validated Responses			Source Data		Validated Responses			% OTP
	Count	90th %	Count	Average	90th %	Count	90th %	Count	Average	90th %	
2016/05	4,462	17.88	4,376	9.81	17.99	4,280	6.70	3,877	4.23	6.23	93.11
2016/06	4,486	17.60	4,404	9.67	17.85	4,362	6.55	3,984	4.14	6.25	93.07
2016/07	4,347	16.93	4,238	9.55	17.13	4,248	6.43	3,875	3.94	5.92	93.94
2016/08	4,523	17.46	4,429	9.57	17.72	4,238	6.30	3,873	3.98	5.87	94.37
2016/09	4,733	18.65	4,627	10.12	18.80	4,479	6.50	4,065	4.08	6.23	93.11
2016/10	4,762	17.98	4,639	10.02	18.15	4,615	6.73	4,214	4.18	6.35	92.48
2016/11	4,614	18.43	4,511	10.06	18.52	4,333	6.82	3,891	4.14	6.28	92.73
2016/12	5,010	18.92	4,919	10.27	19.05	4,811	7.35	4,382	4.41	7.03	89.82
2017/01	4,999	18.47	4,857	9.63	18.02	4,846	6.72	4,390	3.98	6.72	91.21
2017/02	4,415	17.25	4,330	8.98	16.55	4,394	6.70	3,982	3.72	6.02	93.80
2017/03	5,101	16.95	4,990	8.78	16.14	4,941	6.37	4,519	3.50	5.60	95.33
2017/04	4,855	16.53	4,767	8.53	15.79	4,627	6.34	4,199	3.43	5.58	96.09

**First Ambulance On Scene [8],[9]**

	Non Emergency Response (Priority 2)						Emergency Response (Priority 3)					
	Source Data		Validated Responses			% OTP	Source Data		Validated Responses			% OTP
	Count	90th %	Count	Average	90th %		Count	90th %	Count	Average	90th %	
2016/05	4,284	19.42	4,116	10.96	18.68	92.91	4,102	11.57	3,599	6.25	10.02	89.91
2016/06	4,309	19.10	4,124	10.72	18.23	92.75	4,184	11.15	3,692	6.08	9.73	90.79
2016/07	4,182	18.25	4,005	10.62	17.67	93.76	4,098	10.66	3,630	5.81	9.20	92.51
2016/08	4,339	18.90	4,169	10.61	18.13	93.33	4,075	10.80	3,617	5.96	9.50	91.35
2016/09	4,538	19.82	4,347	11.19	19.20	91.58	4,250	11.50	3,739	6.28	10.22	89.17
2016/10	4,572	19.75	4,346	11.06	18.51	92.34	4,418	11.37	3,904	6.21	9.87	90.50
2016/11	4,414	19.66	4,236	11.13	18.96	91.93	4,150	11.77	3,603	6.34	10.20	89.18
2016/12	4,822	20.02	4,638	11.39	19.34	91.35	4,609	12.30	4,058	6.61	10.78	86.84
2017/01	4,785	19.97	4,599	10.84	18.64	92.28	4,687	11.63	4,154	6.18	10.20	89.29
2017/02	4,270	19.01	4,138	10.08	17.55	94.27	4,228	10.83	3,759	5.65	9.28	92.58
2017/03	4,918	18.26	4,753	9.73	16.81	95.10	4,753	10.46	4,264	5.30	8.67	94.37
2017/04	4,676	17.92	4,550	9.57	16.42	95.63	4,491	9.87	4,018	5.23	8.51	95.27





**San Francisco Fire Department  
Activity Summary Report**

From: 04/01/2017  
To: 04/30/2017

**Calls by Resource Utilization**

<i>Call Type</i>	<i>Calls</i>	<i>%</i>
EMS	3,450	28.07%
Fire	2,125	17.29%
Fire/EMS	6,714	54.63%
<b>Total:</b>	<b>12,289</b>	

**Calls by Resource and Priority**

<i>Call Type</i>	<i>Priority</i>	<i>Calls</i>	<i>%</i>
EMS	3	75	0.6%
EMS	2	3,375	27.5%
Fire	1	1	0.0%
Fire	3	2,067	16.8%
Fire	2	57	0.5%
Fire/EMS	3	4,893	39.8%
Fire/EMS	2	1,821	14.8%
<b>Total:</b>		<b>12,289</b>	

**Responses By Unit Type**

<i>Unit Type</i>	<i>Runs</i>	<i>%</i>
Chief	1,720	6.6%
Engine	9,625	36.8%
Medic	8,121	31.1%
Rescue Captain	722	2.8%
Rescue Squad	417	1.6%
Truck	2,393	9.2%
Others	3,136	12.0%
<b>Total:</b>	<b>26,134</b>	

**Calls by Battalion**

<i>Battalion</i>	<i>Calls</i>	<i>%</i>
B01	1,306	11.2%
B02	2,412	18.5%
B03	2,297	18.4%
B04	1,157	9.6%
B05	925	7.6%
B06	848	6.6%
B07	611	5.7%
B08	908	7.5%
B09	841	6.7%
B10	928	7.5%
OTH	56	0.7%
<b>Total:</b>	<b>12,289</b>	

## Incidents By Call Type

Call Type	Count	%
Abdominal Pain	270	2.20
Alarms	936	7.62
Assault	292	2.38
Breathing Difficulty	847	6.89
Cardiac Arrest	176	1.43
Chest Pain	418	3.40
Citizen Assist / Service Call	232	1.89
Elevator / Escalator Rescue	123	1.00
Falls	794	6.46
Hemorrhage	218	1.77
Medical Incident	2,386	19.42
Medical Nature Unknown	453	3.69
Other	460	3.74
Outside Fire	192	1.56
Overdose	138	1.12
Seizures	270	2.20
Sick Call	1,332	10.84
Structure Fire	382	3.11
Subject Unconscious	759	6.18
Traffic Collisionx	397	3.23
Transfer	151	1.23
Trauma	153	1.25
Vehicle Fire	34	0.28
<b>Total:</b>	<b>12,289</b>	

## Working Fires and Greater Alarms

Call No.	Date	Address	Batt.	Alarms	Losses	Units	Pers.
17038921	04/01/2017	200 RHODE ISLAND ST	B02	1	\$5,025	14	39
17039900	04/03/2017	1810 PAGE ST	B05	2	\$450,000	28	79
17040948	04/06/2017	119 RANDALL ST	B06	1	\$125,000	18	47
17041305	04/07/2017	453 23RD AV	B07	3		44	
17042528	04/10/2017	2736 GOLDEN GATE AV	B07	1	\$40,000	13	37
17042540	04/10/2017	520 SOUTH VAN NESS AV	B02	1		15	
17043365	04/11/2017	659 MERCHANT ST	B01	2	\$200,000	24	63
17043478	04/12/2017	404 12TH AV	B07	1	\$12,000	14	37
17047805	04/22/2017	456 CAMBRIDGE ST	B09	1	\$30,000	17	44
17048834	04/25/2017	455 EDDY ST	B02	1	\$30,000	16	44
17048873	04/25/2017	806 STOCKTON ST	B01	1		16	39
17048990	04/25/2017	ILLINOIS ST/CARGO WY	B10	1		21	50

**Total Working Fires and Greater Alarms: 12**





**NEWS RELEASE**

DAY:	<b>Tuesday</b>	DATE:	<b>04/11/2017</b>	TIME:	<b>20:31</b>
INC#	<b>FD17043365</b>	SEQUENCE:	<b>17-8</b>		
ADDRESS:	<b>662 Clay st.</b>	CROSS ST:	<b>Kearny</b>		
STORIES:	<b>3</b>	TYPE:	<b>3</b>	OCCUPANCY:	<b>Multi-Residential Over Commercial</b>
CHIEF IN COMMAND:	<b>D2 Burke</b>	STAGING:	<b>N/A</b>		
DIVISION:	<b>D2 Burke</b>	BATTALION:	<b>B01 Fay</b>		
BOX/U/D	TIME	ENGINE	TRUCK	CHIEF	SPECIAL APPARATUS
<b>1233</b>	<b>20:31</b>	<b>13, 02, 28</b>	<b>13, 02</b>	<b>D2, B01, B03</b>	<b>RS1, M88, TCA11</b>
<b>W/F</b>	<b>20:40</b>	<b>41(RIC)</b>			<b>RC1</b>
<b>2A</b>	<b>20:42</b>	<b>03,35,01,08</b>	<b>01</b>	<b>B04</b>	<b>M82,AR1,BE1,MA1, PIO Command A5</b>
	<b>20:47</b>			<b>CD2 Monitoring</b>	
DIRECTED COVERS:		<b>B2-ST02, E38-ST13, T3- ST13, E16-ST41, E4-ST01</b>			
FIRE UNDER CONTROL @: <b>21:48</b>					
FIREFIGHTERS:	<b>71</b>	UNITS	<b>24</b>		
RED CROSS NOTIFIED:	Yes x No	TIME:	<b>22:04</b>		
PEOPLE DISPLACED:	ADULTS:	<b>64</b>	CHILDREN:	<b>0</b>	ANIMAL: <b>0</b>
<b><u>BUREAU OF FIRE INVESTIGATION REPORTS</u></b>					
ARSON INVESTIGATORS:	<b>HORTA, Michael A., MILICI, Robert P.</b>				
ALARM INITIATED BY:	PHONE x	CAUSE:	<b>Under Investigation</b>		
	<b>415-781-7088</b>				
EXTENT OF FIRE:	UNITS:	Base-ment	FLOORS:	Base-ment	BLDGS Rear
				:	
DAMAGES	PROPERTY:	<b>150,000.00</b>	CONTENTS:	<b>50,000.00</b>	
EXPOSURES	ADDRESS	PROPERTY	CONTENTS		
<b>0</b>	<b>N/A</b>	<b>N/A</b>	<b>N/A</b>		
DEATHS	FIREFIGHTERS:	<b>0</b>	CIVILIANS:	ADULTS	<b>0</b> CHILDREN <b>0</b>
INJURIES:	FIREFIGHTERS:	<b>0</b>	CIVILIANS	ADULTS	<b>0</b> CHILDREN <b>0</b>
REMARKS:	<ul style="list-style-type: none"> <li>• <b>10 - 1 Modified</b> N/A</li> <li>• <b>PGE</b> O/S</li> <li>• <b>DBI</b> O/S</li> <li>• <b>Water Dept.</b> O/S</li> <li>• <b>DPW</b> O/S</li> <li>• <b>MUNI</b> O/S W/Bus for Shelter</li> <li>• <b>Fire Watches:</b> N/A</li> <li>• <b>SFPD</b> O/S</li> </ul> <ul style="list-style-type: none"> <li>- <b>Red Cross</b> #17-1060</li> <li>- <b>Fire Watch</b> N/A</li> <li>- <b>H.S.A.</b> Temp. shelter @ 706 Kearny</li> </ul>				
DISPATCH OFFICERS::	<b>RC Kirk, LT. Jew</b>				

**Report Author: Lt. Jew**



**NEWS RELEASE**

DAY:	Friday	DATE:	04-07-17	TIME:	01:43
INC#	FD17041305	SEQUENCE:	17-7		
ADDRESS:	451 23 <sup>rd</sup> Ave	CROSS ST:	Geary St.		
STORIES:	3	TYPE:	5	OCCUPANCY:	Peak roof 3 unit residential
CHIEF IN COMMAND:	D2	STAGING:	23 <sup>rd</sup> /Geary		
DIVISION:	D2 BURKE	BATTALION:	B07 ROMERO		
BOX/U/D	TIME	ENGINE	TRUCK	CHIEF	SPECIAL APPARATUS
7176	01:43	14 31 34	14 16	B07 B08 D2	RS1 M68 replaced by 70 at 03:39 hrs, TCA7
W/F	01:46	22(RIC)			RC2 (MGS)
2A	01:54	23 10 40 12	10	B05 CD2 monitoring	M52 AR1 BE1 MA1 TCA5 Command TCA4 MED
3A	02:01	21 18 05 16	12 18	B04 CD1 monitoring	RS2 M91 (Treatment Unit) RC3 (Transport) CAR 900 (02:17 hrs)
Special Call	02:11			SO1 (02:37)	M55 CD2 (2:24)
DIRECTED COVERS:	E38-31, E20-40, E41-14, E33-18, E26-12, T19-18, T08-14, T13-12, B01-38				
FIRE UNDER CONTROL @:	04:02	Fire Contained: 03:15 hrs			
FIREFIGHTERS:	103	UNITS	35		
RED CROSS NOTIFIED:	YesX No	TIME:	02:14 17-1044		
PEOPLE DISPLACED:	ADULTS:	20	CHILDREN:	0	ANIMAL: 1 cat
<b><i>BUREAU OF FIRE INVESTIGATION REPORTS</i></b>					
ARSON INVESTIGATORS:	LAURA KELLY; EDWARD YUP				
ALARM INITIATED BY:	PHONE X	CAUSE:	Under Investigation		
EXTENT OF FIRE:	UNITS:	10	FLOORS:	3	BLDGS: 3
DAMAGES	PROPERTY:	\$225,000	CONTENTS:	\$60,000	
EXPOSURES	ADDRESS	PROPERTY	CONTENTS		
Bravo	455, 455A, 457 23 <sup>rd</sup> Ave 3S/T5	\$45,000	\$10,000		
Delta	447 23 <sup>rd</sup> Ave (4 units) 3S/T5	\$25,000	\$5,000		
DEATHS	FIREFIGHTERS:	0	CIVILIANS:	ADULTS	0 CHILDREN 0
INJURIES:	FIREFIGHTERS:	1	CIVILIANS	ADULTS	3 CHILDREN 0
REMARKS:	<ul style="list-style-type: none"> <li>• 10 – 1 Modified 02:23 hours</li> <li>• PGE: 02:51 hours</li> <li>• DBI : on scene</li> <li>• Water Dept. : on scene</li> <li>• Fire Marshal (4700) on scene</li> <li>• MUNI 01:57 hours</li> <li>• Fire Watches 04:00-08:00 hrs: E04 T02 B10 08:00-09:00 hrs: E14 B07</li> <li>• SFPD #170283742</li> <li>• 3 civilian Victims, M52 TH2 St. Francis for burns, M55 TH3 CPP, 1 PDT</li> <li>• Fire building has 3 units consisting of 451, 451 and 453 23<sup>rd</sup> Av</li> <li>• Top floor fire and water damage to floors below in all 3 buildings</li> </ul>				
DISPATCH OFFICERS::	RC. Kirk, Lt. Jew				

Report Author: Lt. Jew

News Release Template



**NEWS RELEASE**

DAY:	<b>Monday</b>	DATE:	<b>04/03/17</b>	TIME:	<b>17:08</b>
INC#	<b>FD17039900</b>	SEQUENCE:	<b>17-06</b>		
ADDRESS:	<b>1810 Page St</b>	CROSS ST:	<b>Cole St/Shrader St</b>		
STORIES:	<b>3</b>	TYPE:	<b>5</b>	OCCUPANCY:	<b>Multi-residential</b>
CHIEF IN COMMAND:	<b>D2 Burke</b>	STAGING:	<b>NA</b>		
DIVISION:	<b>D2 Burke</b>	BATTALION:	<b>B05 DeWitt</b>		
BOX/U/D	TIME	ENGINE	TRUCK	CHIEF	SPECIAL APPARATUS
<b>4533</b>	<b>17:08</b>	<b>12 21 06</b>	<b>12 06</b>	<b>B05 B07 D2</b>	<b>RS1 85 TCA15</b>
<b>WF</b>	<b>17:36</b>	<b>24 (RIC)</b>			<b>RC2</b>
<b>2A</b>	<b>17:37</b>	<b>31 36 05 22</b>	<b>10</b>	<b>B04 B02</b>	<b>82 AR1 BE1 MA1 TCA5 COMMAND CHANNEL A5</b>
	<b>17:53</b>			<b>CD1 LL</b>	
DIRECTED COVERS:		<b>E29-21, T04-12</b>			
FIRE UNDER CONTROL @: <b>18:35</b>					
FIREFIGHTERS:	<b>69</b>	UNITS	<b>23</b>		
RED CROSS NOTIFIED:	<b>Yes</b>	No	X	TIME:	
PEOPLE DISPLACED:		ADULTS:	<b>10</b>	CHILDREN:	<b>1</b>
				ANIMAL:	<b>0</b>
<b><u>BUREAU OF FIRE INVESTIGATION REPORTS</u></b>					
ARSON INVESTIGATORS:	<b>Bortmas, Darren; Kelly, Laura; LaEace, Robert</b>				
ALARM INITIATED BY:	PHONE : X	CAUSE:	<b>Under Investigation</b>		
	<b>650 270-5141</b>				
EXTENT OF FIRE:	UNITS:	<b>1</b>	FLOORS:	<b>2nd</b>	BLDGS <b>Rear</b>
DAMAGES	PROPERTY:	<b>350,000</b>	CONTENTS:	<b>100,000</b>	
EXPOSURES	ADDRESS	PROPERTY	CONTENTS		
<b>Delta</b>	<b>455 Cole</b>	<b>70,000</b>	<b>20,000</b>		
DEATHS	FIREFIGHTERS:	<b>0</b>	CIVILIANS:	ADULTS	<b>0</b>
				CHILDREN	<b>0</b>
INJURIES:	FIREFIGHTERS:	<b>0</b>	CIVILIANS	ADULTS	<b>0</b>
				CHILDREN	<b>0</b>
REMARKS:	<ul style="list-style-type: none"> <li>• <b>10 – 1 Modified NA</b></li> <li>• <b>PGE NA</b></li> <li>• <b>DBI OS 20:22</b></li> <li>• <b>Water Dept. OS</b></li> <li>• <b>DPW NA</b></li> <li>• <b>MUNI NA</b></li> <li>• <b>Fire Watches: NONE</b></li> <li>• <b>SFPD: 170933087</b></li> </ul>				
DISPATCH OFFICERS::	<b>RC Biscevic, Lt Pirosko, FF Tin</b>				

**Report Author: Lt Pirosko**



# SFFD Airport Division Recent Activities

## May 3, 2017


The following is a summary of Airport Division activities for APRIL, 2017:

### Assistant Deputy Chief Castellanos

- Met with SFIA Communications
- Attended HPCC/SFO Emergency Response Site Access & Jobsite Conditions Walk
- Participated in H-39 Interviews @ DOT
- Conducted SFFD Orientation for new SFIA Duty Manager
- Attended new Probationary Class Graduation
- Marched in the Cherry Blossom Parade
- Target Solutions Training @ the DOT
- Participated in 1906 Earthquake Commemoration Activities
- Met with Ralf Ruckelshausen regarding Automation of ARFF Records
- Attended SFIA Annual Exercise Concept & Objectives Meeting
- One-on-One Meeting with SFIA COO Jeff Littlefield @ the MERF
- Met with Ralf Ruckelshausen regarding FAA Compliance
- Attended Committee Meeting for SFFD Surf Rescue
- Attended AirTrain Annual Emergency Exercise Planning Meeting
- FAA LOC Meeting with SFIA Director Ivar Satero & Deputy Director Jeff Littlefield
- Several Meetings with SFIA Administration regarding Purchasing & Budget practices
- Attended Emergency Preparedness Operations Group Meeting
- Several Budget & Purchasing Procedures Meetings with Lily Lee
- Attended APEX Meeting with Barrett Krieger, SFIA Operations Supervisor
- Participated in ENET Conference Call
- Observed Surf Rescue Drill @ China Beach
- Met with Deputy Chief Gonzales & Andy Zanoff regarding SFFD/SFIA MOU
- Attended two SFFD Fire Commission Meetings
- Met with Wallace Tang, SFIA Accounting to Review Direct Payment Procedures
- Attended Monthly ADC Meeting @ SFFD Headquarters
- Attended monthly SFFD Staff Meeting
- Attended monthly SFIA Airfield Operations Meeting with Drake Poston
- Attended weekly SOG Meetings with SFIA COO Jeff Littlefield & SFIA Operations
- Monthly Update Meeting with Deputy Director Jeff Littlefield, SFIA Operations
- Attended SFIA bi-weekly Management Meetings
- Met with Airport Division Battalion Chiefs, Rescue Captains, & Fire Prevention personnel

Rescue Captains Beach, Beckwith, & Schorr

- Taught one CPR class
- Responded to 91 medical calls, assisted/observed Paramedics on other non-emergency calls
- Picked-up, reviewed, and graded written PCR's and delivered them to Station #49
- Attended San Mateo County EMSA MCI work group meeting
- Attended San Mateo County Committee's QLC, OPS
- Attended Emergency Operations meeting at the SFO EOC
- I-VIEW Training for all RCs
- EMT training for Rescue #91 and #93 Drivers
- Attended monthly AOS Operations meetings
- Monthly AED checks

  
ADC Rudy J. Castellanos



**SFFD - AIRPORT DIVISION  
CAD RUN TOTALS - Apr17 2017**

<b>TYPE</b>	<b>DESCRIPTOR</b>	<b>COUNT</b>
519	VEH ACCIDENT W/ INJ	2
520	AIDED CASE	290
528	FIRE	3
ALERT2	ALERT TWO	2
ELEV	ELEVATOR RESCUE	17
FIRE	FIRE ALARM	27
FUEL	FUEL ALARM	1
GASINV	GAS INVESTIGATION	3
ODORINV	ODOR INVESTIGATION	8
RESCUE	FD RESCUE CALL	1
SEWAGE	SEWAGE LEAK	2
SMKINV	SMOKE INVESTIGATION	3
SPILL	SPILL OF MATERIAL	6
SVC	SERVICE CALL	10
SVCM	SERVICE CALL FOR MEDICS	2
WMAIN	WATER MAIN BREAK	1
<b>TOTAL</b>		<b>378</b>